The Recovery of Hexavalent Chromium from Dilute Waste Streams Using a Three-Dimensional Carbon Felt Electrode.

Eric Lascombe<sup>1</sup>, I. M. Dalrymple<sup>2</sup> and M. Kalaji<sup>1</sup>

- Department of Chemistry, University of Wales Bangor, Bangor LL57 2UW
- 2) EA Technology, Capenhurst, Chester, UK

In this poster we report on the electrochemical behaviour of Cr(VI) in aqueous acidic solutions.

A novel electrochemical tube cell is used for the examination of redox processes occurring at a carbon felt electrode under static flow and conditions to study model waste solutions. The kinetics of the reduction of Cr(VI) were evaluated as a function of pH, flow rate, current density and electrode material.

The control of pH was essential in achieving good removal of total chromium. Samples were analysed by atomic absorption spectroscopy to determine the total chromium concentration and the surface of the carbon felt electrodes were analysed using SEM and EDAX. performance of different types of felts was evaluated; carbon felt of lowdensity constitution, of high-density, of different thickness and graphite felt. The uniformity of Cr(III) deposits within the porous electrode is discussed. The double layer capacitance of a carbon felt electrode used for reducing Cr(VI) to Cr(III) was established using electrochemical impedance spectroscopy.

Acknowledgement: The authors would like to acknowledge the financial support from the European Union through the Marie Curie programme (industrial host fellowship).